Advanced Data Visualizations with Stata: Part III

Asjad Nagvi

Austrian Institute of Economic Research (WIFO) Vienna University of Economics and Business (WU) International Institute for Applied Systems Analysis (IIASA)

> Stata UK Conference 8 September 2022

Background


- Based in Vienna, Austria
- Some 20 years of research
- Numerous projects using Stata since 2003
 - Data management, workflow, analysis
- Why do all the dataviz stuff?
 - ullet Explosion of COVID-19 related dataviz + work-from-home + curiosity
 - Huge positive response from the online community

Why we need more #StataViz?


- A lot of potential given the existing Stata/Mata structure
- Lots of exciting developments in terms of dataviz packages:
 - palettes (Jann), spmap (Pisati)
 - My own packages: bimap, joyplot, streamplot, clipgeo, delaunay, marimekko, arcplot, schemepack
 - Plus many more #StataViz packages by others are now out!
- What I will discuss today:
 - Maps
 - Polar plots
 - Plotting hierarchical data

- The ability to make maps in Stata has improved considerably, thanks to the spmap (Pisati) and the palettes (Jann) packages.
- A lot of additional work has been done in the past two years to further enhance mapping capabilities in Stata
- Some of this work is showcased below


Bi-variate maps (ssc install bimap, replace)



Bi-variate maps (ssc install bimap, replace)




clipgeo (ssc install clipgeo, replace) - Line clipping




clipgeo - Box clipping



clipgeo v2 - Circle clipping




clipgeo v2 - Polygon clipping and rotation







clipgeo - Polygon box clipping




clipgeo - Polygon box clipping + spmap + palettes




clipgeo v2 - Polygon circle clipping




clipgeo v2 - Polygon clipping variations



clipgeo v2 - Polygon clipping variations






The clipgeo v2 makes several enhancements to the package:

- Much faster plotting
 - We can now clip on any regular polygon (polygons with equal sides)
- Circular clipping
- Polygon rotation



Change in Antarctica's ice sheet extent (1980-2022) Month 01




Secret Annual Season for Section (Section (SECO) 1990 Lines Select Annual Section (SECO) 1990 Lines Section (SECO) 1990 Li


Change in Antarctica's ice sheet extent (1980-2022) Month 02





Secret Revised Seas and In Seas Section (MSSC) 1990 Lines After 2002 or note and W. 2002 or the costs on \$1000 2000 or not more Objectives.




Global COVID-19 deaths per million in 2021









Half sunburst plot




Arc plots (now available as the arcplot package)



Hierarchical flows: Sankey



Data hierarchies




- Plot nested lists as circles within circles.
- Circle packing requires a packing algorithm that maximize the area of a starting circle, such that no circles overlap.
- The circlepack package uses the "circlify" algorithm
- Like squarify, "circlify" is an iterative algorithm, that starts with the largest circle and iteratively adds other circles, until the best fit is achieved.



Population of EU 27 countries





Population of EU 27 - NUTSO, NUTS1, NUTS2



Population of Austria at NUTS2 and NUTS3 level

Population of Netherlands at NUTS2 and NUTS3 level






Population of Netherlands at NUTS1-NUTS3 level

Population of Netherlands at NUTS1-NUTS3 level







- Treemaps plot nested lists as rectangles within rectangles.
- Treemaps requires a tiling algorithm.
- The treemap package uses the "squarify" algorithm, the industry standard (OEC, OWID, D3).
- "squarify" optimizes placement of tiles to approach a desired aspect ratio.
- Tiles are sorted by largest-to-smallest size, and iteratively placed by either "slicing" or "dicing" a starting rectangle, until all tiles are close to the desired aspect ratio.




Population of EU 27 countries




Population of EU 27 countries




Population of EU 27 countries







Population of Austria at NUTS2 and NUTS3 level




Population of Netherlands at NUTS2 and NUTS3 level




Population of Netherlands at NUTS2 and NUTS3 level




Population of Netherlands at NUTS1-NUTS3 level



Population of Netherlands at NUTS2 and NUTS3 level



Population of Norway at NUTS2 and NUTS3 level



Population of Norway at NUTS2 and NUTS3 level



What can be improved

Some routines are very time and memory expensive:

- Exporting data back to Stata from Mata
- Plotting by colors
- Making shapes, for example, circles should be easier

Some optimization requests

- Allow point, line, area properties to be modified more easily
 - Allow angles, sizes, colors, clock positions, etc. to be read from variables (like mlabels)
 - Line weights (like marker weights)
 - Color scaling (starting and ending color)
- Allow adding custom markers (or increase marker pool)
- Allow colored text in graphs
- Ability to read images (pixel data)
- Ability to add images in figures

More Stata viz:

- M The Stata Guide on Medium
- ▼ M The Stata Gallery on Medium (anyone can contribute!)
- #30DayMapChallenge 2021
- The Stata Gallery

Connect with me:

- @ asjadnaqvi@gmail.com
- github.com/asjadnaqvi
- @AsiadNagvi
- in AsjadNagvi